



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

ANTHRAX.

Massachusetts Report for January, 1917.

During the month of January, 1917, one case of anthrax was reported in Massachusetts.

CEREBROSPINAL MENINGITIS.

State Reports for January, 1917.

Place.	New cases reported.	Place.	New cases reported.
Massachusetts:		Massachusetts—Continued.	
Bristol County—		Worcester County—	
New Bedford.....	1	Milford (town).....	1
Hampden County—		Worcester.....	1
Springfield.....	1	Total.....	11
Hampshire County—			
Northampton.....	1	Wisconsin:	
Ware (town).....	1	Langlade County.....	1
Middlesex County—		Milwaukee County.....	2
Lowell.....	1	Total.....	3
Suffolk County—			
Boston.....	4		

State Reports for December, 1916.

During the month of December, 1916, one case of cerebrospinal meningitis was reported in Hamakua District, Hawaii, and two cases were reported in Billings, Mont.

City Reports for Week Ended Jan. 27, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Binghamton, N. Y.....	1	1	New York, N. Y.....	9	2
Boston, Mass.....	1	1	Philadelphia, Pa.....	1	2
Chicago, Ill.....	2	1	Pittsburgh, Pa.....	1	1
Detroit, Mich.....	1	1	Providence, R. I.....	2	1
Dubuque, Iowa.....	1	1	St. Joseph, Mo.....	1	1
Hartford, Conn.....	1	1	St. Louis, Mo.....	4	2
Kansas City, Mo.....	1	1	San Francisco, Cal.....	1	1

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 304.

ERYSIPELAS.**City Reports for Week Ended Jan. 27, 1917.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Ann Arbor, Mich.	1	New York, N. Y.	6
Binghamton, N. Y.	2	Niagara Falls, N. Y.	1
Bridgeport, Conn.	3	Omaha, Nebr.	1
Buffalo, N. Y.	5	1	Pasadena, Cal.	1
Butler, Pa.	1	Philadelphia, Pa.	7	1
Chicago, Ill.	40	3	Pittsburgh, Pa.	6	2
Cincinnati, Ohio.	1	Portland, Oreg.	1
Cleveland, Ohio.	9	2	Providence, R. I.	1
Cumberland, Md.	1	Reading, Pa.	1
Denver, Colo.	2	1	Rochester, N. Y.	7	1
Detroit, Mich.	6	2	St. Joseph, Mo.	2
Duluth, Minn.	4	St. Louis, Mo.	22	2
Erie, Pa.	2	St. Paul, Minn.	3	1
Grand Rapids, Mich.	2	1	San Diego, Cal.	2
Jackson, Mich.	1	San Francisco, Cal.	2	1
Kalamazoo, Mich.	3	Springfield, Ill.	1
Lincoln, Nebr.	1	Toledo, Ohio.	1	2
Los Angeles, Cal.	1	Troy, N. Y.	1
Milwaukee, Wis.	4	1	Wichita, Kans.	2	1
Newark, N. J.	8	Wilkinsburg, Pa.	1

GLANDERS.**Massachusetts—Springfield—Human Case.**

Collaborating Epidemiologist Kelley reported the occurrence of a case of glanders at Springfield, Mass., in a colored woman, A. J., age 45 years, residence 217 Tyler Street. The patient was admitted to hospital December 17, 1916, and died January 8, 1917. The diagnosis was confirmed bacteriologically, but the source of infection was not determined.

LEPROSY.**Hawaii Report for November and December, 1916.**

During the month of November, 1916, one case of leprosy was reported in the Territory of Hawaii, and during the month of December, 1916, eight cases were reported.

MEASLES.**Alaska—Ketchikan.**

Acting Asst. Surg. Story reported that during the week ended January 27, 1917, 14 new cases of measles were notified at Ketchikan, Alaska, making a total of 78 cases, with 1 death, reported since the beginning of the present outbreak, about December 15, 1916.

Washington—Seattle.

Surg. Lloyd reported that during the period from January 21 to February 3, 1917, 335 cases of measles, with 1 death, were notified at Seattle, Wash., making a total of 6,286 cases of the disease, with 10 deaths, reported since the beginning of the outbreak, February 15, 1916.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 304.

PELLAGRA.**District of Columbia Report for January, 1917.**

During the month of January, 1917, one case of pellagra was reported in the District of Columbia.

City Reports for Week Ended Jan. 27, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Charleston, S. C.....		1	New York, N. Y.....	1	1
New Orleans, La.....	2	2			

PNEUMONIA.**City Reports for Week Ended Jan. 27, 1917.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alameda, Cal.....	3	1	McKeesport, Pa.....	2	3
Allentown, Pa.....	1		Newark, N. J.....	81	19
Baltimore, Md.....	40	31	New Castle, Pa.....	2	
Binghamton, N. Y.....	6	1	Norristown, Pa.....	1	
Birmingham, Ala.....	1	15	Oakland, Cal.....	1	8
Braddock, Pa.....	2		Pasadena, Cal.....	1	1
Chicago, Ill.....	319	156	Philadelphia, Pa.....	140	88
Cincinnati, Ohio.....	1	16	Pittsburgh, Pa.....	32	46
Cleveland, Ohio.....	44	38	Racine, Wis.....	2	2
Coffeyville, Kan.....	2		Reading, Pa.....	3	4
Detroit, Mich.....	6	36	Rochester, N. Y.....	21	5
Dubuque, Iowa.....	2	2	Rockford, Ill.....	4	3
Flint, Mich.....	6		Saginaw, Mich.....	4	2
Grand Rapids, Mich.....	4	5	St. Paul, Minn.....	1	7
Harrison, N. J.....	1		Sandusky, Ohio.....	1	
Johnstown, Pa.....	2	4	San Francisco, Cal.....	11	5
Kalamazoo, Mich.....	7	3	Schnectady, N. Y.....	3	2
Kansas City, Mo.....	5	20	Toledo, Ohio.....	1	6
Lancaster, Pa.....	3		Topeka, Kans.....	1	
Lexington, Ky.....	4	4	Wichita, Kans.....	3	1
Lincoln, Nebr.....	3	4	Wilkesburg, Pa.....	4	
Los Angeles, Cal.....	12	8	York, Pa.....	2	1
Manchester, N. H.....	9	9			

POLIOMYELITIS (INFANTILE PARALYSIS).**State Reports for January, 1917.**

Place.	New cases reported.	Place.	New cases reported.
Massachusetts:		Massachusetts—Continued.	
Bristol County—		Plymouth County—	
Easton (town).....	1	Abington (town).....	1
Essex County—		Suffolk County—	
Haverhill.....	1	Boston.....	5
Lawrence.....	1	Total.....	14
North Andover (town).....	1		
Rockport (town).....	1	Wisconsin:	
Franklin County—		Milwaukee County.....	1
Shelburne (town).....	1	Racine County.....	1
Hampden County—		Total.....	2
Springfield.....	1		
Middlesex County—			
Somerville.....	1		

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.**Montana Report for December, 1916.**

Place.	New cases reported.
Montana:	
Blaine County.....	1
Flathead County.....	1
Musselshell County.....	1
Total.....	3

City Reports for Week Ended Jan. 27, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Boston, Mass.....	3	New York, N. Y.....	3	3
Chicago, Ill.....	2	Niagara Falls, N. Y.....	1
Cleveland, Ohio.....	1	Philadelphia, Pa.....	4
Harrisburg, Pa.....	1	San Francisco, Cal.....	1
Lincoln, Nebr.....	1	Zanesville, Ohio.....	1	1

RABIES IN ANIMALS.**City Reports for Week Ended Jan. 27, 1917.**

During the week ended January 27, 1917, five cases of rabies in animals were reported in Buffalo, N. Y., one case was reported in Detroit, Mich., and one case in Rochester, N. Y.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 304.

SMALLPOX.**California—San Francisco.**

Passed Asst. Surg. Williams reported February 9, 1917, the presence of smallpox in San Francisco, Cal., 22 cases of the disease, with 1 death, having been notified to date of report.

Connecticut.

Collaborating Epidemiologist Black reported that during the week ended February 10, 1917, 8 new cases of smallpox were notified in Connecticut as follows: Stonington 2, Waterbury 6.

Minnesota.

Collaborating Epidemiologist Bracken reported that during the week ended February 10, 1917, 7 new foci of smallpox infection were reported in Minnesota, cases of the disease having been notified as follows: Hubbard County, Akeley 5; White Oak Township 2; Lyon County, Balaton 1; Morrison County, Morrill Township 5; Sherburn County, Elk River 2; Stearns County, Kimball 1; Waseka County, Otisco Township 1.

SMALLPOX—Continued.

Texas—Galveston.

Surgeon Bahrenburg reported that on February 13, 1917, three cases of smallpox were notified at Galveston, Tex.

Miscellaneous State Reports.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Hawaii (Nov. 1-30):			Wisconsin (Jan. 1-31):		
Oahu—			Buffalo County.....	1	
Honolulu.....	1		Chippewa County.....	5	
Massachusetts (Jan. 1-31):			Clark County.....	2	
Berkshire County—			Dane County.....	1	
Lee (town).....	1		Eau Claire County.....	4	
Worcester County—			Jackson County.....	1	
Worcester.....	1		Juneau County.....	2	
Total.....	2		Manitowoc County.....	7	
Montana (Dec. 1-31):			Marathon County.....	5	
Cascade County.....	2		Milwaukee County.....	29	
Great Falls.....	4		Monroe County.....	1	
Custer County.....	3		Oneida County.....	1	
Dawson County.....	1		Outagamie County.....	2	
Fergus County.....	5		Ozaukee County.....	2	
Flathead County.....	9		Polk County.....	1	
Gallatin County.....	7		Portage County.....	1	
Hill County.....	27		Rock County.....	1	
Madison County.....	2		Sheboygan County.....	1	
Ravalli County.....	1		Trempealeau County.....	9	
Sheridan County.....	17		Washburn County.....	11	
Silverbow County.....	2		Waukesha County.....	5	
Butte.....	4		Total.....	92	
Valley County.....	6				
Yellowstone County --					
Billings.....	3				
Total.....	93				

City Reports for Week Ended Jan. 27, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Ann Arbor, Mich.....	1		Norfolk, Va.....	1	
Austin, Tex.....	6		Ogden, Utah.....	1	
Braddock, Pa.....	1		Oklahoma, Okla.....	3	
Chicago, Ill.....	1		Omaha, Nebr.....	9	
Cleveland, Ohio.....	10		Philadelphia, Pa.....	1	
Danville, Ill.....	3		Portsmouth, Va.....	1	
Detroit, Mich.....	5		Rockford, Ill.....	1	1
Flint, Mich.....	1		St. Joseph, Mo.....	1	
Fort Worth, Tex.....	2	1	St. Paul, Minn.....	5	
Indianapolis, Ind.....	6		San Diego, Cal.....	1	
Jersey City, N. J.....	1		San Francisco, Cal.....		1
Kalamazoo, Mich.....	1		Seattle, Wash.....	1	
Kansas City, Mo.....	1		Sioux City, Iowa.....	9	
Little Rock, Ark.....	1		Springfield, Ill.....	1	
Minneapolis, Minn.....	19		Toledo, Ohio.....	1	1
Muscatine, Iowa.....	1		Topeka, Kans.....	11	
New Orleans, La.....	7		Worcester, Mass.....	1	
New York, N. Y.....	1				

TETANUS.

City Reports for Week Ended Jan. 27, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
New Castle, Pa.....	1		St. Joseph, Mo.....	1	1
New Orleans, La.....		1	St. Louis, Mo.....	1	1
New York, N. Y.....		2			

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 304.

TYPHOID FEVER.

State Reports for January, 1917.

Place.	New cases reported.	Place.	New cases reported.
District of Columbia.....	11	Massachusetts—Continued.	
Massachusetts:		Worcester County—	
Berkshire County—		Dudley (town).....	1
North Adams.....	2	Leominster (town).....	1
Bristol County—		Southbridge (town).....	2
Fall River.....	9	Westboro (town).....	1
New Bedford.....	2	Worcester.....	2
Taunton.....	1	Total.....	71
Essex County—		Wisconsin:	
Amesbury (town).....	1	Barron County.....	2
Haverhill.....	2	Brown County.....	3
Ipswich (town).....	1	Clark County.....	1
Lawrence.....	11	Door County.....	1
Lynn.....	2	Fond du Lac County.....	1
Hampton County—		Green County.....	11
Holyoke.....	2	Keweenaw County.....	2
Ludlow (town).....	1	Lafayette County.....	1
Hampshire County—		Manitowoc County.....	1
Easthampton (town).....	1	Marathon County.....	1
Middlesex County—		Marquette County.....	1
Cambridge.....	2	Milwaukee County.....	3
Everett.....	1	Oconto County.....	7
Lowell.....	1	Outagamie County.....	1
Malden.....	1	Price County.....	1
Medford.....	1	Richland County.....	2
Newton.....	4	Rock County.....	1
Reading (town).....	1	St. Croix County.....	1
Westford (town).....	1	Washburn County.....	1
Norfolk County—		Winnebago County.....	2
Dedham (town).....	1	Wood County.....	3
Quincy.....	1	Total.....	47
Plymouth County—			
Bridgewater (town).....	2		
Brockton.....	2		
Suffolk County—			
Boston.....	8		
Chelsea.....	3		

State Reports for December, 1916.

Place.	New cases reported.	Place.	New cases reported.
Hawaii:		Montana:	
Hawaii—		Blaine County.....	1
Hilo.....	1	Cascade County—	
North Kohala District.....	6	Great Falls.....	2
Kauai—		Hill County.....	1
Koloa District.....	4	Musselshell County.....	3
Makaweli District.....	1	Yellowstone County.....	2
Waimea District.....	2	Total.....	9
Maui—			
Wailuku District.....	1		
Oahu—			
Ewa District.....	1		
Honolulu.....	14		
Koolaupoko District.....	1		
Total.....	31		

TYPHOID FEVER—Continued.**Hawaii Report for November, 1916.**

Place.	New cases reported.	Place.	New cases reported.
Hawaii:		Hawaii—Continued.	
Hawaii—		Oahu—	
Hamakua District.....	1	Ewa District.....	1
Hilo.....	6	Honolulu.....	4
North Hilo District.....	1	Koolatpoko District.....	3
Puna District.....	1	Total.....	26
South Hilo District.....	1		
Kauai—			
Koloa District.....	2		
Lihue District.....	6		

City Reports for Week Ended Jan. 27, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Atlantic City, N. J.....	3	Manchester, N. H.....	1	1
Baltimore, Md.....	12	5	Milwaukee, Wis.....	2	1
Beaver Falls, Pa.....	1	Newark, N. J.....	1
Binghamton, N. Y.....	1	New Castle, Pa.....	1
Birmingham, Ala.....	2	New Orleans, La.....	4	2
Boston, Mass.....	1	Newton, Mass.....	2
Brockton, Mass.....	2	New York, N. Y.....	14
Buffalo, N. Y.....	3	1	Norfolk, Va.....	2
Canton, Ohio.....	1	Norristown, Pa.....	1
Charleston, S. C.....	1	Omaha, Nebr.....	1
Chelsea, Mass.....	1	Philadelphia, Pa.....	5	3
Chicago, Ill.....	12	Pittsburgh, Pa.....	1	1
Cincinnati, Ohio.....	1	Portland, Oreg.....	1
Cleveland, Ohio.....	1	Reading, Pa.....	2
Columbus, Ohio.....	4	2	Rochester, N. Y.....	1
Concord, N. H.....	1	Sacramento, Cal.....	1
Denver, Colo.....	2	1	St. Joseph, Mo.....	1
Detroit, Mich.....	10	1	St. Louis, Mo.....	4	1
Duluth, Minn.....	1	St. Paul, Minn.....	2
East Chicago, Ind.....	2	San Diego, Cal.....	3
El Paso, Tex.....	2	San Francisco, Cal.....	3	1
Fall River, Mass.....	2	Schenectady, N. Y.....	1
Flint, Mich.....	3	1	South Bend, Ind.....	2	1
Fort Wayne, Ind.....	6	Syracuse, N. Y.....	1
Galveston, Tex.....	2	Toledo, Ohio.....	3	1
Grand Rapids, Mich.....	1	Trenton, N. J.....	1
Indianapolis, Ind.....	1	Watertown, N. Y.....	1
Kansas City, Mo.....	2	Wheeling, W. Va.....	2
Lancaster, Pa.....	2	Wilkes-Barre, Pa.....	1
Lawrence, Mass.....	3	Wilkinsburg, Pa.....	1
Lincoln, Nebr.....	1	Wilmington, Del.....	2	1
Los Angeles, Cal.....	2	Wilmington, N. C.....	1
Lowell, Mass.....	1	Zanesville, Ohio.....	1
Lynn, Mass.....	1			

TYPHUS FEVER.**City Report for Week Ended Jan. 27, 1917.**

During the week ended January 27, 1917, two cases of typhus fever were reported in El Paso, Tex.

PREVENTABLE DISEASES.

Massachusetts Report for Week Ended Feb. 3, 1917.

	Cases reported.		Cases reported.
Cerebrospinal meningitis.....	1	Scarlet fever.....	159
Chicken pox.....	176	Septic sore throat.....	4
Diphtheria.....	211	Smallpox.....	1
Dog bite.....	2	Trachoma.....	1
German measles.....	27	Tuberculosis (pulmonary).....	164
Measles.....	547	Tuberculosis (other forms).....	18
Mumps.....	197	Typhoid fever.....	8
Ophthalmia neonatorum.....	43	Whooping cough.....	62

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

State Reports for January, 1917.

During the month of January, 1917, 60 cases of diphtheria, 89 cases of measles, and 58 cases of scarlet fever were reported in the District of Columbia; 869 cases of diphtheria, 1,886 cases of measles, and 675 cases of scarlet fever were reported in Massachusetts; and 231 cases of diphtheria, 256 cases of measles, and 730 cases of scarlet fever were reported in Wisconsin.

State Reports for December, 1916.

During the month of December, 1916, 13 cases of diphtheria and 4 cases of measles were reported in the Territory of Hawaii, and 12 cases of diphtheria, 122 cases of measles, and 42 cases of scarlet fever were reported in Montana.

Hawaii Report for November, 1916.

During the month of November, 1916, 9 cases of diphtheria and 12 cases of measles were reported in the Territory of Hawaii.

City Reports for Week Ended Jan. 27, 1917.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md.....	589,621	272	21	1	8	9	45	35
Boston, Mass.....	756,476	272	68	6	74	1	35	1	60	17
Chicago, Ill.....	2,497,722	868	220	35	333	5	419	13	241	81
Cleveland, Ohio.....	674,073	241	35	1	49	2	28	24	18
Detroit, Mich.....	571,784	248	95	4	4	133	5	64	25
Los Angeles, Cal.....	593,812	22	52	10	61	28
New York, N. Y.....	5,602,841	246	25	210	4	131	2	619	221
Philadelphia, Pa.....	1,709,518	689	76	6	13	24	1	136	81
Pittsburgh, Pa.....	579,090	226	24	2	127	1	10	1	22	19
St. Louis, Mo.....	757,309	227	83	4	159	77	57	14
From 300,000 to 500,000 inhab- itants:										
Buffalo, N. Y.....	468,558	160	20	3	3	13	36	10
Cincinnati, Ohio.....	410,476	180	25	1	12	8	1	27	16
Jersey City, N. J.....	306,345	115	11	3	22	20	9

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended Jan. 27, 1917—Continued.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 300,000 to 500,000 inhabit- ants—Continued.										
Milwaukee, Wis.....	436,535	140	24	5	10	1	111	17	8
Minneapolis, Minn.....	363,454	28	7	21
Newark, N. J.....	408,894	119	20	6	24	1	35	16
New Orleans, La.....	371,747	7	1	644	8	2	32	30
San Francisco, Cal.....	403,516	193	28	2	150	49	42	28
Seattle, Wash.....	348,639	51	180	9	20	7
Washington, D. C.....	363,980	183	7	1	38	15	19	14
From 200,000 to 300,000 inhab- itants:										
Columbus, Ohio.....	214,878	65	3	86	2	5	9	5
Denver, Colo.....	260,800	87	6	65	2	18
Indianapolis, Ind.....	271,708	24	29	8	11
Kansas City, Mo.....	297,847	111	7	3	32	57	11	20
Portland, Oreg.....	295,463	62	1	58	5	1	3
Providence, R. I.....	254,960	102	13	1	3	13	8
Rochester, N. Y.....	256,417	83	8	1	3	1	34	18	5
St. Paul, Minn.....	247,232	53	5	6	9	14	9
From 100,000 to 200,000 inhab- itants:										
Birmingham, Ala.....	181,762	63	3	105	2	4	7	9
Bridgeport, Conn.....	121,579	58	10	19	4	9	3
Cambridge, Mass.....	112,981	40	19	1	10	1	9	6	3
Camden, N. J.....	106,233	1	1	5	1
Fall River, Mass.....	128,366	49	6	1	56	2	15	5	5
Fort Worth, Tex.....	104,562	33	3	9	2	2
Grand Rapids, Mich.....	128,291	54	1	6	20	5	4
Hartford, Conn.....	110,900	56	8	1	1	4	6
Lawrence, Mass.....	100,560	47	6	2	9	2
Lowell, Mass.....	113,245	43	11	30	1	7	8
Lynn, Mass.....	102,425	36	6	3	5	5	5
New Bedford, Mass.....	118,158	25	1	1	6	3
New Haven, Conn.....	149,685	6	44	3	5	2
Oakland, Cal.....	198,604	1	13	6	3	5
Omaha, Nebr.....	165,470	26	1	9	9	1	2
Reading, Pa.....	109,381	34	1	1	3	3	1
Richmond, Va.....	156,687	93	4	2	24	5	5	6
Salt Lake City, Utah.....	117,399	37	2	83	1	10	1
Springfield, Mass.....	105,942	40	10	1	18	2	1
Syracuse, N. Y.....	155,624	46	8	11	9	8	3
Toledo, Ohio.....	191,554	86	2	3	63	1	7	11
Trenton, N. J.....	111,593	55	3	4	2	6
Worcester, Mass.....	163,314	61	8	1	11	1	12	7
From 50,000 to 100,000 inhab- itants:										
Allentown, Pa.....	63,505	29	5	1	4	1
Atlantic City, N. J.....	57,660	11	32	1
Bayonne, N. J.....	69,893	3	1	5
Berkeley, Cal.....	57,653	6	2	1
Binghamton, N. Y.....	53,973	31	10	30	3	2	2
Brookton, Mass.....	67,449	20	3	2	1
Canton, Ohio.....	60,852	9	3	5	3
Charleston, S. C.....	60,734	25	7	1	3
Covington, Ky.....	57,144	21	1	1
Duluth, Minn.....	94,495	1	4	6	3
Elizabeth, N. J.....	86,600	20	11	1	3	3	2
El Paso, Tex.....	63,705	47	2	7	1	7
Erie, Pa.....	75,195	3	2
Flint, Mich.....	54,772	22	2	2	8	1
Fort Wayne, Ind.....	76,183	25	1	2	3
Harrisburg, Pa.....	72,015	35	6	1	2	2	4
Hoboken, N. J.....	77,214	20	1	1	13	11	3
Johnstown, Pa.....	68,529	28	2	5	2	1
Lancaster, Pa.....	50,853	2
Little Rock, Ark.....	57,343	10	2	15	1
Malden, Mass.....	51,155	7	1	1	3	1
Manchester, N. H.....	78,283	29	1	1	1	1
Mobile, Ala.....	58,221	16	1	1	3
New Britain, Conn.....	53,794	3	1
Norfolk, Va.....	89,612	9	7	1	1
Oklahoma City, Okla.....	92,943	36	1	30	2	2	1	1	3
Passaic, N. J.....	71,744	28	2	2

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended Jan. 27, 1917—Continued.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabit- ants—Continued.										
Pawtucket, R. I.	59,411	31	2				1			1
Portland, Me.	63,867	26	7	1			1			1
Rockford, Ill.	55,185	17			2		1		1	1
Sacramento, Cal.	66,895	37			2		4		1	5
Saginaw, Mich.	55,642	14	2	1			6			
St. Joseph, Mo.	85,236	38	3				1			3
San Diego, Cal.	53,330	23	1		2					
Schenectady, N. Y.	99,519	19	1		22		9		18	
Sioux City, Iowa.	57,078		1				2		6	
Somerville, Mass.	87,039	25	1		6		4		1	1
South Bend, Ind.	68,946	17			1		13	1	3	1
Springfield, Ill.	61,120	29	3	1	7		3		2	2
Troy, N. Y.	77,016		2	1	33	1	5		7	5
Wichita, Kans.	70,722		1	1						
Wilkes-Barre, Pa.	76,776	30	3				5		4	3
Wilmington, Del.	94,265	51	1				1	1		
York, Pa.	51,656		3				2		3	
From 25,000 to 50,000 inhabitants:										
Alameda, Cal.	27,732	3	1		9		10			
Auburn, N. Y.	37,385	15			2		1		1	
Austin, Texas	34,814	10	2							
Brookline, Mass.	32,730	19			4				3	1
Butler, Pa.	27,632	9					1			
Chelsea, Mass.	46,192	22	3						5	
Chicopee, Mass.	29,319	9							4	2
Cumberland, Md.	26,074	5							1	
Danville, Ill.	32,261	10					2			
Davenport, Iowa.	48,811		2				4			
Dubuque, Iowa.	39,873				30		1		2	2
East Chicago, Ind.	28,743						2			2
East Orange, N. J.	42,458	13			5				3	2
Elgin, Ill.	28,203	11			58		1			
Everett, Mass.	39,233	6			1		3			
Everett, Wash.	35,486	6			69		1			
Fitchburg, Mass.	41,781	9			1				2	
Galveston, Tex.	41,863	16								1
Haverhill, Mass.	48,477		5		4					
Jackson, Mich.	25,363	12	6		8		7	1	2	
Kalamazoo, Mich.	48,886	17			1		1		3	
Kenosha, Wis.	31,576	6	2	1			1			1
Kingston, N. Y.	26,771	18	1				1		2	2
Knoxville, Tenn.	38,676		1		59		1		3	
La Crosse, Wis.	31,677	9	2				2		1	
Lexington, Ky.	41,097	22			19		1	1	1	2
Lima, Ohio.	35,384		1		1		1		1	
Lincoln, Nebr.	46,515	14	6		15		5			
Long Beach, Cal.	27,587	18								
Lorain, Ohio.	36,964		2				6		3	
Lynchburg, Va.	32,940	15	1		31					4
Madison, Wis.	30,699				1		11			
McKeesport, Pa.	47,521	9	2				3		1	
Medford, Mass.	26,234	9	1		13					
Montclair, N. J.	26,318	11	1		1					2
Newburgh, N. Y.	29,603	10	3	1						1
New Castle, Pa.	41,133		1		3				1	
Newport, R. I.	30,108	13	3				1			2
Newton, Mass.	43,715	19			18		3			
Niagara Falls, N. Y.	37,353	19	5		9		3		2	
Norristown, Pa.	31,401	11	5							1
Ogden, Utah.	31,404	9			39		5			
Orange, N. J.	33,080	11	1						1	
Pasadena, Cal.	46,450	14	3							2
Perth Amboy, N. J.	41,185		1				2			
Pittsfield, Mass.	38,629	11					1			1
Portsmouth, Va.	39,651	16	1		9		5			
Quincy, Ill.	36,798	20								2
Quincy, Mass.	38,136	12			2		2		4	
Racine, Wis.	46,486	9								1
Roanoke, Va.	43,284	15	1		49				3	1
San Jose, Cal.	38,902	10	2		2				3	

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended Jan. 27, 1917—Continued.

City.	Popula- tion as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 50,000 inhabit- ants—Continued.										
Steuenville, Ohio.....	27,445	12					1			
Superior, Wis.....	46,226	5	1							
Taunton, Mass.....	36,283	22	2						2	3
Topeka, Kans.....	48,726	14	1		46		1			
Waltham, Mass.....	30,570	8							2	1
Watertown, N. Y.....	29,894	12	1		2					
West Hoboken, N. J.....	43,139	10	2				1		3	1
Wheeling, W. Va.....	43,377	23			4					4
Williamsport, Pa.....	33,809		1				1			
Wilmington, N. C.....	29,892	9							3	
Winston-Salem, N. C.....	31,155	23	3		75	1	13	1	2	3
Zanesville, Ohio.....	30,863	11					2		2	2
From 10,000 to 25,000 inhabitants:										
Ann Arbor, Mich.....	15,010	8					3		1	2
Braddock, Pa.....	21,685								2	
Cairo, Ill.....	15,794	9	1		8					1
Clinton, Mass.....	13,075	9	1		3		1			1
Coffeyville, Kans.....	17,548								1	
Concord, N. H.....	22,669	12	2							
Galesburg, Ill.....	24,276	14								
Harrison, N. J.....	16,950		3							
Kearny, N. J.....	23,539								1	
Kokomo, Ind.....	20,930	7	3		10				1	1
Long Branch, N. J.....	15,395	3			1					
Marquette, Wis.....	14,610	5								2
Morristown, N. J.....	13,284	8								1
Muscatine, Iowa.....	17,500				54	1				
Nanticoke, Pa.....	23,126	10	2							
Newburyport, Mass.....	15,243	2			3		1			1
New London, Conn.....	20,985	8	1							1
North Adams, Mass.....	22,019	5	1		1		2			
Northampton, Mass.....	19,926	8	1				2		2	
Plainfield, N. J.....	23,805	10					1		1	
Rocky Mount, N. C.....	12,067	7	2	1	62					
Rutland, Vt.....	14,831	5	1		20		2			
Sandusky, Ohio.....	20,193				2					
Saratoga Springs, N. Y.....	13,821	6								
Steelton, Pa.....	15,548	2	1							
Wilksburg, Pa.....	23,228		1		4					1
Woburn, Mass.....	15,969	5								

¹ Population Apr. 15, 1910; no estimate made.